

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
13 June 2002 (13.06.2002)

PCT

(10) International Publication Number
WO 02/46954 A1

(51) International Patent Classification⁷: **G06F 17/30**,
1/00, G07F 19/00

(21) International Application Number: PCT/CA01/01727

(22) International Filing Date: 6 December 2001 (06.12.2001)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
2,327,935 8 December 2000 (08.12.2000) CA

(71) Applicant (for all designated States except US): **WMODE INC.** [CA/CA]; 3553 - 31 Street NW, Calgary, Alberta T2L 2K7 (CA).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **COOPER, Dave,**


M., L. [CA/CA]; 59 Hidden Creek Crescent NW, Calgary, Alberta T3A 6E7 (CA). **WORONUK, Dennis** [CA/CA]; 161 Hamptons Green NW, Calgary, Alberta T3A 5A8 (CA). **WOODWARD, Robert, S.** [CA/CA]; 229 Varsity Estates Mews NW, Calgary, Alberta T3B 3C9 (CA). **ZEEB, Kevin, G.** [CA/CA]; 532 Woodhill Place SW, Calgary, Alberta T2W 3L5 (CA).

(74) Agent: **DAINES, Jeffrey, T.**; Bennett Jones LLP, 4500 Bankers Hall East, 855 - 2nd Street SW, Calgary, Alberta T2P 4K7 (CA).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL, PT, RO, RU, SD, SE, SG, SI,

[Continued on next page]

(54) Title: SYSTEM AND METHOD TO PROVIDE REAL TIME TRANSACTION VALIDATION AND BILLING VIA A COMMUNICATIONS NETWORK



(57) Abstract: A system and method for providing real-time validation to a content provider of a customer's request transmitted via a communications system for delivery of content by the content provider to the customer via a communications system. A request for validation of the customer from the content provider, the request including data identifying the customer, is dealt with by determining from the identifying data whether the customer is a subscriber and then immediately requesting acknowledgement by the customer of the customer's request for the delivery of the content. Upon receipt of an acknowledgement from the customer a validation of the customer's request is sent to the content provider.

WO 02/46954 A1



SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

**System and Method to Provide Real Time Transaction
Validation and Billing via a Communications Network**

Field of the Invention

5

The present invention relates to the billing and validation of transactions carried out via a communications network, and in particular, to the billing and validation of such transactions in which content may be delivered immediately via the communications network.

10

Background of the Invention

The development of electronic commerce has to date relied generally upon the use of validation systems that predate the Internet and cellular telephones capable of digital data communication. For example, the purchase of software downloadable via the Internet has been possible for some time, but it is normally carried out using charge accounts. The customer selects software for purchase and provides a charge card number and other information to the software vendor via a secure encrypted connection. The software vendor then contacts the credit company by way of a separate channel using a digital protocol, and requests verification of the information that the customer provided. If all of the information is in order the credit company authorizes and guarantees the sale. Thus the vendor obtains validation from the credit company and allows the download to proceed.

Credit companies usually charge a percentage of the purchase price for their services. For this reason, the current systems for purchase of content via the Internet or other communications networks are in general not well suited to small purchases ("micro-payments") of, for example, less than a few dollars. An exception to this is the model used by telephone carriers for providing services such as directory assistance for a small charge and by the iMode cellular network system provided by NTT DoCoMo in Japan. In each case, the carrier itself either is the content provider (in the case of telephone

carriers) or deals with the content providers (in the case of iMode) and provides the content directly to the user. While the iMode business model works for small amounts of data provided at low prices, it does not appear to be of interest to telephone carriers in North America, possibly due to the need to deal with a multitude of content providers.

5

A need exists for a method and system for validation of requests by customers for electronic content that (1) does not involve the validation service provider in the handling of large amounts of data representing the content and (2) is able to handle a variety of payment methods, including subscriptions, prepaid accounts, and micro-payments for content in a cost efficient manner for a large number of content providers.

10

Summary of the Invention

The inventive method and system provides real-time validation to a content provider of a customer's request, transmitted via a communications network, for delivery of content by the content provider to the customer, which delivery may be via the same communications network or other means. The inventive method includes (1) receiving a request for validation of a customer from the content provider, the request including data identifying the customer, (2) determining from the identifying data whether the customer is a subscriber, and (3) verifying that the customer request for service is not fraudulent, through direct contact with the customer or other means.

20

"Real-time" herein shall mean in a time comparable or less than the time typically needed for a merchant to obtain validation of a credit card or debit card transaction.

25

The request for validation may include data identifying at least one characteristic of the content requested by the customer, such as the charge to be paid by the customer for the content. If the customer's request is acknowledged and validation is sent to the content provider, then the charge to be paid is stored for later aggregation and billing to either the customer's account with the carrier of the communications system, the customer's charge account, or the customer's prepaid account.

30

Further, the system can employ the use of digital signatures as part of the customer authorization of the transaction. The approval may be on a transaction originated by the content provider or on a transaction originated by the system. The digital signature of electronic documents may not require a payment transaction.

Customers may have temporary identification data assigned to them by the communications system. The temporary identification data could be translated into a billing identity by the validation system so as to keep the customer's identity secret.

Private or public key encryption methods may be used to verify the customer identity.

Brief Description of the Drawings

Figure 1 is a block diagram illustrating the flow of data in a transaction validation and billing system embodying the present invention.

Figure 2 is a flowchart of a transaction validation and billing system embodying the present invention.

Figure 3 is more detailed depiction of the software abstractions of a transaction validation and billing system embodying the present invention.

Detailed Description

The overall flow of data in the real-time transaction validation and billing system is illustrated in Figure 1. A customer 10 has decided to purchase content from a content provider 12. The system provides a transaction validation server 14 and a database 16, which interact with customer 10 and content provider 12 to validate a customer's request for content 20. The server 14 also provides billing information to credit or prepaid service providers 18.

More specifically, the customer 10 sends a request for content 20 to the content provider 12 via a communications link 21. The content requested may be electronic, such as an audio or video file, a software program, or a key to unlock a file or program on a storage medium such as a CD-ROM. While the system is primarily addressed to the problem of providing real time validation of the delivery of electronic content, it may also be used for the validation of transactions involving the physical delivery of goods or the provision of services, particularly transactions involving "micro-payments". For example, the "content" might be an item from a vending machine. Hence, "content" herein should be read widely to include anything that can be the subject of a commercial transaction. The delivery of content is indicated by reference numeral 32 in Figure 1 and is shown as taking place via the communications link 21, but it should be kept in mind that the content could be delivered in some manner other than the communication link 21 used by the customer 10 to make the request 20.

The content provider 12, upon receiving a request for content 20 from the customer 10, in turn sends a request for validation 22 to the transaction validation server 14 via a second communications link 23, which may be the same or a different form of communication from that used by the customer 10 to request the content. The validation request 22 includes data identifying the customer 10 and may include other data identifying the content. The identifying data may be an identifier embedded in the validation request 22 that is unique to customer 10. Suitable applets, custom software or application plug-ins may be required to facilitate the transmission of the appropriate identifier by the content provider 12 to the transaction validation server 14. The validation request 22 may also include a price to be charged for the content.

The transaction validation server 14, upon receipt of the validation request 22, sends a query 24 to the database 16 to obtain customer data 25, including records of what arrangements, if any, the customer 10 has made to pay for the content requested. Such arrangements may include purchase of a prepaid billing plan or subscription, arrangements with the provider ("the carrier" herein) of the communications link 21 or an

agreement to pay by a credit card account. The database 16 may also include purchase quantity or cost limits specified by the customer 10 in advance. The database 16 may also include historical data regarding previous validation requests and address data necessary for the transaction validation server 14 to send an immediate acknowledgement request 26 to the customer 10.

The transaction validation server 14, assuming that the customer 10 is found in the subscription database 16 and is in good standing, then checks whether it is necessary to send an acknowledgment request 26 to the customer 10, as this requirement may be waived by some customers in predefined circumstances, or to some third party. If such a request is necessary the transaction validation server 14 sends the acknowledgment request 26 to the customer 10, or the third party, via a third communications link 27, which may be the same as the communication link 21 used to communicate the request for content 20. If the customer 10 or third party confirms the request for content 20 by sending an acknowledgment 28 back to the transaction validation server 14, then the transaction validation server 14 in turn sends a validation 30 to the content provider 12 over the second communication link 23. The content provider 12 then in turn transfers 32 the content to the customer 10. As discussed above, transfer 32 could include physical delivery of the content as well as electronic delivery via a communications network.

Preferably, the transaction validation server 14 also provides for billing the charges for each transfer of content 32 to the customer 10, although the content provider 12 could instead take care of the billing itself. A number of methods may be provided for doing so. For example, as shown in Figure 1, the transaction validation server 14 may send aggregated billing for content data 34 to a carrier, a charge card system such as VISA (TM), or a prepaid billing system. Alternatively, the customer 10 may have prepaid for transfers of content 32. All three alternatives are represented by the block labeled with reference numeral 18 in Figure 1.

An advantage of the inventive method is that many small charges may be aggregated and billed at one time. A further advantage is that the transaction validation server 14 does

- not handle the transfer of content 32. The transaction validation server 14 does not necessarily need to know what the content is, so long as the price to be charged is determinable and the customer 10 acknowledges the acknowledgment request 26, as per the pre-arranged method. Not only does the transfer of the content 32 not place a strain
5 on the transaction validation server 14, but also the privacy of the customer 10 and the content provider 12 is maintained. In prior validation methods known to the inventors the content flows through a transaction server, requiring close involvement of the operator of the transaction server with the content provider.
- 10 A further advantage of the inventive system and method is that the customer 10 may not need to enter any identification or password when requesting delivery of content. For example, when communication link 21 is a wireless Internet system, the customer 10 is identified by the wireless device used.
- 15 In the system described in relation to Figure 1, to simplify the description it has been assumed that the person initiating the request for content 20 is the same person who has the responsibility for paying the charges for the content. In most cases that person will be a subscriber to a carrier that makes use of the validation and billing system described herein. However, there is no reason that the person initiating the request for content 20
20 must be a subscriber. Suppose that a subscriber's child is the customer 10 and is with the permission of the subscriber operating a cellular telephone with digital data communication capabilities. This situation is illustrated in Figure 1A, which differs from Figure 1 only in that the acknowledgement request 26 is sent out by the transaction validation server 14 to the subscriber, indicated by reference numeral 11, rather than to
25 the customer 10, and the subscriber 11 replies with the acknowledgement 28, assuming that the subscriber 11 authorizes the content transfer 32. The content provider 12 and the transaction validation server 14 have no way of know whether the customer 10 and the subscriber 11 are the same person or not.
- 30 A high level flowchart of the process employed by an embodiment of the transaction validation system of Figure 1A that could be run on server 14 to provide real time

transaction validation and billing as described above is shown in Figure 2. The process begins at block 50 by receipt by the transaction validation server 14 of a request 22 from a content provider 12 for validation of a customer's request for content 20. The request for content will include some identification of the source of the request for content 20.

5 For example, the identification might be the unique hardware identifier of a digital cellular telephone, which is automatically sent whenever the cellular telephone is used. At block 52, the transaction validation server 14 verifies that the identification included in the request for content 20 matches that of a subscriber 11. Note that matching at this stage does not mean that the request for content is valid and authorized by the subscriber
10 11 as the cellular telephone could be stolen or the customer 10, who might not be the subscriber, could be attempting to obtain content that the subscriber 11 has not authorized. If there is no match at block 52, control passes to block 64, at which the content provider 12 is informed of the denial of the validation request 22. If there is a match at block 52, the transaction validation server 14 at block 54 checks to see if the
15 subscriber 11 has preauthorized the charge for the content requested. If the subscriber 11 has not, the transaction validation server 14 at block 56 sends an acknowledgement request 26 to the subscriber 11. At block 58, if a response to the acknowledgement request 26 is received back in which acknowledgement is refused, or after some predetermined time limit, control is transferred to block 64 at which the content provider
20 12 is informed of the denial of the validation request 22. If the subscriber 11 acknowledges the request for content 20 within the time limit by returning an acknowledgement 28, then control is transferred to block 60 at which the transaction validation server 14 sends a validation 30 to the content provider 12. If the subscriber 11 was found at block 54 to have preauthorized the charge for the content requested, then
25 control also passes to block 60 at which the transaction validation server 14 sends a validation 30 to the content provider 12. Following execution of block 60, control passes to block 62 at which the charge for the content requested is added to an aggregate of charges for the subscriber 11. Finally, the transaction validation process ends at block 68 following either the execution of block 62 or block 64.

30

Figure 3 shows in more detail the software abstractions of an exemplary real-time validation and billing system, collectively referred to by reference numeral 100, which could implement core functions of the transaction validation server 14 and database 16 and is the presently preferred embodiment of a real-time validation and billing system. In effect, Figure 3 is representation of how the system shown in simplified form in Figure 1 could be implemented. Each abstraction represents a process running on one or more computers or a database or portion of a database resident on one or more computers. For example, each database abstraction may represent a table or a set of tables of a single database structure and each process may be part of a single program running on a single computer.

In Figure 3, communication between a customer 110 and the content provider 112 is assumed to be via a communications system 114. The communications system 114 could be the Internet or a service provided by a carrier. For the purposes of this example, it is assumed that the customer 110 is a subscriber to a wireless communications system 114 operated by a carrier. The carrier's data processing facilities are represented in Figure 3 by block 116 and include at least the capability of providing updated lists of the subscribers to the communications system 114. Communication between the content provider 112 and the system 100 is via a second communication system 115, which should preferably be a private network for security. Communication between the system 100 and the customer 110 is via a third communication system 117, which may utilize system 114. For example, such communication may involve "tunneling" back through communications system 115 and communication system 114.

To further clarify the flow of data in the transaction validation system, the transaction validation server 14 in Figure 1 is represented in Figure 3 as several processes: a real-time billing handler 118; a subscriber handler 120; a rating services handler 122; a revenue distributor 124; and a marketing data collector 126. Likewise, the database 16 of Figure 1 is represented as several databases in Figure 3:

- 5
- (1) a subscriber database 128, containing data on each subscriber, which may include identification of a rate plan selected by the subscriber, a desired currency for charges to the subscriber, and directions as to the conditions under which the subscriber will be asked to confirm transactions;
 - (2) a rate plans database 130, containing definitions of rate plans that may be selected by subscribers and may include methods for calculating the price to be charged for the content;
 - 10 (3) a currency database 132, containing current exchange rates;
 - (4) a purchase history database 134, containing records of all transactions completed by the subscribers and content providers; and
 - 15 (5) a revenue log database 136, containing a record of revenue attributed to the transaction validation service.

Block 18 of Figure 1, which represents the carrier, charge card company, or prepaid billing company has been expanded in Figure 3 into two blocks: the carrier 116 and a
20 financial institution 140, which may be a wallet or credit company, prepaid company, or a bank.

Data flows in the system 100 are now described. Upon receipt of a request for content from the customer 110 via communication system 114, the content provider 112 sends a
25 query via communication system 115 containing data identifying the customer 110 and the content requested to the real-time billing handler 118 asking for validation of the customer's request for content. The real-time billing handler 118 creates a transaction object containing at least the data received from the content provider 112 and in turn sends a query to the subscriber handler 120 referencing the transaction object.

30

Using the customer identification data in the transaction object, the subscriber handler 120 queries the subscriber database 128 to determine whether there is a current subscriber whose customer identification data matches that received by the real-time billing handler 118 from the content provider 112. If no match is found in the subscriber database 128, the subscriber handler 120 checks the carrier's data processing system 116 to determine whether the customer 110 is a current subscriber. This determination may optionally be done even if the customer 110 is found in the subscriber database 128 or may be done in lieu of checking subscriber database 128.

If the customer 110 is determined to be a subscriber to the communication system 114 provided by the carrier 116, then the subscriber handler 120 will ask the rating services handler 122 for the price to be charged for the content requested by the customer 110. The rating services handler 122, using the data contained in the transaction object, queries the subscriber database 128, to determine which rate plan should be applied to the transaction, the rate plan database 130 to determine a price to be charged for the requested content based upon the rate plan to be applied and the identification of the content, and the currency database 132 for the proper exchange rate, if any, to be applied to the price so as to calculate the price in the preferred currency of the customer 110. The rating services handler 122 reports the price for the transaction back to the subscriber handler 120.

The subscriber handler 120 then, if the data found in the subscriber database 128 indicates that the price is to be charged to the customer's account with the financial institution 140, may seek preauthorization from the financial institution 140. If preauthorization is refused, the subscriber handler 120 reports back to the real-time billing handler 118, which in turn reports to the content provider 112 and closes the transaction.

If no preauthorization is required or if preauthorization is given by the financial institution 140, the subscriber handler 120 communicates the final price to the customer 110 as part of an acknowledgment request sent via communications system 117 and then

waits for an acknowledgment from the customer 10. If the subscription database 128 contains special instructions regarding acknowledgment, then the acknowledgment request will instead be directed to a third party or the transaction automatically confirmed or rejected based upon customer-defined price thresholds. When a decision is reached, the subscriber handler 120 responds accordingly to the real-time billing handler 118. The real-time billing handler 118 then informs the content provider 112 as to the decision (shown in Figure 1 as a validation 30).

If the content provider 110 receives validation from the real-time billing handler 118, then the content provider 110 commences providing the content. When the content provider has finished providing the content, it sends a service complete message to the real-time billing handler 118. This informs the real-time billing handler 118 to close the transaction and report to the rating services handler 122 that the transaction is closed. If the content is to be provided over an extended period in response to separate requests for content from the customer 110, e.g., the content is a subscription to a service that provides updated information for a specified time period for a fixed total fee, then the transaction is kept open and on receipt of validation requests from the content provider 112, the billing handler 118 may only ask the subscriber handler 120 to confirm that the customer 110 remains in the subscriber database 128. No acknowledgment may be needed from the customer 110.

When a transaction is finally completed by the receipt of a service complete message, the billing handler 118 notifies the rating services handler 122, which in turn closes transaction object and the passes data regarding the transaction on to a revenue distributor handler 124. The data passed to the revenue distributor handler 124 may include data from the rate plans database 130, the currency database 132, and the purchase history database 134 in addition to the details of the transaction just closed. The revenue distributor handler 124 stores the details of the just closed transaction in the purchase history database 134 and determines which method was chosen by the customer 110 for payment based on information from the rating services handler 122. Depending upon the payment method chosen, the revenue distributor handler 124 sends the appropriate data

on to the financial institution 140 or the carrier 116. Finally, a log is made of the revenue to be attributed towards the operation of the system 100 by storing appropriate data in revenue log database 136.

5 Subscribers may be provided with means for reviewing transactions and options such as redirecting acknowledgment requests to a device other than that from which a request for content 20 originated. For example, the subscriber may be a parent and the customer 110 at a given time may be the parent's child. In that case, the subscriber may wish to have acknowledgment requests 20 sent to the subscriber rather than the customer 110, if the
10 transaction involves more than a preset cost or content other than preset content. Such data may be stored in the subscriber database 128 for use by the subscriber handler 120.

Optionally, the marketing data collector handler 126 may extract data from the purchase history database 134 to aggregate and summarize data for the carrier 116 or possibly
15 other planning uses. Further, the revenue distributor handler 124 can query the purchase history database 134 for statistics, reports, or dispute resolution. For example, disputes involving micro-payments may be handled automatically by reversing charges to a customer's account unless the purchase history database 134 contains evidence that suggest abuse of the system by the customer.

20

The identity of the customer 110 may be kept secret from the content provider 112 by use of temporary identification data assigned by the carrier 116 and used by the customer 110 to communicate with the content provider 112 and receive content via the communications system 114, if the content is to be provided via that system. Only the
25 temporary identification data would be sent to the content provider 112 by the customer 110 during the request for content. The correspondence between the temporary identification data and the identity of the customer 110 would be available to the subscriber handler 120 for validation and billing purposes, but the identity of the customer 110 would not be provided to the content provider 112. The temporary
30 identification data may be set up as part of the subscription process by the carrier 116 and may be changed periodically thereafter or may be assigned dynamically by the carrier

116 each time the customer 110 uses the device. Further, digital signatures may be used in all communications between the customer 110, the content provider 112 and the system 100. As well, private or public key encryption methods may be used to protect and verify customer identity.

5

The transaction validation and billing system and method described above may be implemented in a variety of ways. Those skilled in the art will understand that the above description enables the implementation of the invention using other combinations of computers and communication networks.

What is claimed is:

1. A computer method for providing real-time validation to a content provider of a customer's request transmitted via a first communication method for delivery of content by the content provider to the customer, the method comprising:

maintaining a subscriber database containing data identifying subscribers;

receiving from the content provider a request for validation of the customer's request, the content provider's request including data identifying the customer;

querying the subscriber database to determine whether the data identifying the customer matches that corresponding data for a subscriber;

if the data identifying the customer matches that corresponding data for a subscriber, then requesting via a second communication method acknowledgment from the subscriber of the request for the delivery of the content; and

upon receipt of an acknowledgment from the subscriber, sending to the content provider a validation of the customer's request.
2. The method of claim 1, wherein the first and second communication methods use a common communication system.
3. The method of claim 2, wherein the common communication system is a wireless system.
4. The method of claim 1, wherein the request for validation includes data identifying at least one characteristic of the content requested by the customer.
5. The method of claim 4, wherein the identifying characteristic is a charge to be paid by the customer if the customer's request is acknowledged and validated to the content provider.

6. The method of claim 5, additionally comprising billing the charge to the subscriber, if the customer's request is acknowledged and validation is sent to the content provider.

7. The method of claim 6, wherein:

the charge, if acknowledged and validated to the content provider, is aggregated with charges corresponding to other content that has in a similar manner been requested by the customer, acknowledged by the subscriber, and the transaction validated to the relevant content providers; and

the aggregated charges are periodically billed to the subscriber.

8. A computer system for providing real-time validation to a content provider of a customer's request transmitted via a first communication method for delivery of content by the content provider to the customer, the system comprising:

a subscriber database server containing data identifying subscribers;

a first communication interface for sending data to and receiving data from the content provider via a second communication method;

a second communication interface for sending data to and receiving data from the subscribers via a third communication method; and

a processor for

processing data received by the first communication interface requesting validation of the customer's request, the request received including identification data,

querying the subscriber database to determine whether the identification data matches corresponding data for a subscriber,

if the identification data matches corresponding data for a subscriber, causing the second communication interface to send data requesting acknowledgment from the subscriber of the request for the delivery of the content, and

upon receipt of an acknowledgment by the second communication interface from the subscriber, causing the first communication interface to send to the content provider a validation of the customer's request.

9. The system of claim 8, wherein the request for validation includes data identifying at least one characteristic of the content requested by the customer.

10. The system of claim 9, wherein the identifying characteristic is a charge to be paid by the subscriber if the customer's request is acknowledged and validated to the content provider.

11. The system of claim 10, wherein the processor bills the charge to the subscriber if the customer's request is acknowledged and validation is sent to the content provider.

12. The system of claim 11, wherein:

the charge, if acknowledged and validated to the content provider, is aggregated with charges corresponding to other content that has in a similar manner been requested by the customer, acknowledged by the subscriber, and the transaction validated to the relevant content providers; and

the aggregated charges are periodically billed to the subscriber.




Figure 1





Figure 1A






Figure 3

INTERNATIONAL SEARCH REPORT

International Application No

PCT/CA 01/01727

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 G06F17/30 G06F1/00 G07F19/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 G06F G06N G07F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 6 088 717 A (MUSERO STEVEN MARK ET AL) 11 July 2000 (2000-07-11) column 11, line 66 -column 12, line 33 column 12, line 63 -column 13, line 9 column 107, line 58 -column 110, line 6 column 119, line 27 -column 123, line 21 column 124, line 21 - line 51 figures 1,5,20,21,38	1,2,4-12
A	US 5 852 812 A (REEDER MARY) 22 December 1998 (1998-12-22) column 4, line 65 -column 6, line 8 figures 1,10,12	1-12
A	WO 96 42041 A (OPEN MARKET INC) 27 December 1996 (1996-12-27) page 11, line 27 -page 13, line 19 figure 2	1,2,4
	-/-	



Further documents are listed in the continuation of box C.



Patent family members are listed in annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

22 April 2002

Date of mailing of the international search report

02/05/2002

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax (+31-70) 340-3016

Authorized officer

Bocage, S

INTERNATIONAL SEARCH REPORT

International Application No

PCT/CA 01/01727

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	WO 00 46681 A (COULTHARD CHRISTOPHER M ;HODGMAN ROD G (US); GEOTRUST INC (US); MC) 10 August 2000 (2000-08-10) _____	
A	US 6 012 144 A (PICKETT THOMAS E) 4 January 2000 (2000-01-04) _____	

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/CA 01/01727

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
US 6088717	A	11-07-2000	US 5862325 A	19-01-1999
			US 6044205 A	28-03-2000
			AU 702509 B2	25-02-1999
			AU 2193597 A	16-09-1997
			CA 2247498 A1	04-09-1997
			EP 0954782 A1	10-11-1999
			WO 9732251 A1	04-09-1997
			US 6345288 B1	05-02-2002
US 5852812	A	22-12-1998	NONE	
WO 9642041	A	27-12-1996	US 5708780 A	13-01-1998
			US 5812776 A	22-09-1998
			AU 694367 B2	16-07-1998
			AU 5936796 A	09-01-1997
			CA 2221506 A1	27-12-1996
			EP 0830774 A2	25-03-1998
			JP 11507752 T	06-07-1999
			WO 9642041 A2	27-12-1996
WO 0046681	A	10-08-2000	AU 3360600 A	25-08-2000
			EP 1159683 A1	05-12-2001
			WO 0046681 A1	10-08-2000
US 6012144	A	04-01-2000	NONE	